

(12) United States Patent

Harrington et al.

(54) METHODS FOR THE SEPARATION AND **DETECTION OF AN OXYSTEROL**

(71) Applicant: Warsaw Orthopedic, Inc., Warsaw, IN

(72)Inventors: Roger E. Harrington, Collierville, TN

(US); Jerbrena C. Jacobs, Hernando,

MS (US)

Assignee: Warsaw Orthopedic, Inc., Warsaw, IN

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 26 days.

(21) Appl. No.: 15/082,665

(22) Filed: Mar. 28, 2016

(65)**Prior Publication Data**

> US 2017/0273990 A1 Sep. 28, 2017

(51) Int. Cl.

A61K 31/575 (2006.01)

G01N 33/74 (2006.01)

(52) U.S. Cl.

CPC A61K 31/575 (2013.01); G01N 33/743

(2013.01)

(58) Field of Classification Search

CPC C07J 41/00; A61K 31/575 See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

6,568,245	B2 *	5/2003	Kaufman G01N 30/84 324/464
2014/0352411	A1	12/2014	Yim et al.
2015/0118277	A1	4/2015	Parhami et al.
2015/0140059	A1	5/2015	Parhami et al.
2015/0183726	A1	7/2015	Singidi et al.
2016/0159848	$\mathbf{A}1$	6/2016	Harrington et al.

FOREIGN PATENT DOCUMENTS

WO 2009073186 A1 6/2009

OTHER PUBLICATIONS

Acworth et al, Planta Medica, Simple and Direct Analysis of Red Palm Oil by Reversed Phase HPLC and Charged Aerosol Detection, 2011, pp. 1-5. (Year: 2011).*

Stappenbeck et al, Bioorganic & Medicinal Chemistry Letters, Novel oxysterols activate the Hedgehog pathway and induce osteogenesis, 2012, 22, pp. 5893-5897. (Year: 2012).*

International Search Report and Written Opinion for PCT/US2017/ 024295 the counterpart application dated Jun. 16, 2017, 10 pages. Acworth, et al.—Simple and Direct Analysis of Phytosterols in Red Palm Oil by Reversed-Phase HPLC and Charged Aerosol Detection, Thermo Fisher Scientific, Chelmsford, MA, USA, 2011, www. thermoscientific.com/dionex, 5 pages.

Almeling, et al.—Charged aerosol detection in pharmaceutical analysis, Journal of Pharmceutical and Biomedical Analysis, 69 (2012) 50-63, Elsevier, www.elsevier.com/locate/jpba, 14 pages.

US 9,987,290 B2 (10) **Patent No.:**

(45) Date of Patent: Jun. 5, 2018

Awad, et al.—Charged Aerosol Detection in Pharmaceutical Analysis an Overview LCGC, Explore the Science of Cannabis, The 2016 Emerald Conference, Apr. 1, 2009, 3 pages.

Reviewer Guidance—Validation of Chromatographic Methods by Center for Drug Evaluation and Research (CDER), Nov. 1994, 33

Dixon—Development and Testing of a Detection Method for Liquid Chromatography Based on Aerosol Charging, Chemistry Department, California State University, 600 J Street, Sacramento, CA 95819-6057, Anal. Chem., Jul. 1, 2002, vol. 74, No. 13, 2930-2937,

Fireman, Quantitative HPLC Analysis of Lipids, Mon, Jan. 9, 2006, 9:46 am, Bioscience Technology, 6 pages.

Gorecki, et al.—Universal Response in Liquid Chromatography Using Charged Aerosol Detection, Anal. Chem., May 1, 2006, vol. 78, No. 9, 3186-3192, 7 pages.

Holzgrabe, et al.—Identification and control of impurities in streptomycin sulfate by high performance liquid chromatography coupled with mass detection and corona charged aerosol-detection, Journal of Pharmceutical and Biomedical Analysis, 56 (2011) 271-279, Elsevier, www.elsevier.com/locate/jpba, 9 pages.

Ganan, et al.—ICH Q5C, Stability Testing of Biotechnological / Biological products, ICGH CGC ASEAN Training, Kuala Lumpur, May 30-31, 2011, European Medicines Agency, Science Medicines Health, Human Medicines Development and Evaluation, 81 pages. Moreau, The Analysis of Lipids via HPLC with a Charged Aerosol Detector, U.S. Dept. of Agriculture, Agricultural Research Service, Eastern Regional Research Center, Wyndmoore, PA, Lipids, vol. 41, No. 7, 2006, 8 pages.

Moreau, Lipid analysis via HPLC with a charged aerosol detector, Lipid Technology, Aug./Sep. 2009, vol. 21, No. 8/9, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, www.lipid-technology. com, 4 pages

Levin, Quantitative Work in HPLC, Medtechnica, www.forumsci. co.il/HPLC, Shula_Levin@medtechnica.co.il, 97 pages.

Sinclair, et al.—Charged Aerosol Detection: Factors for consideration in its use as a generic quantitative detector, Global Compound Sciences/DMPK. AstraZeneca, Mereside, Alderley Macclesfield, Cheshire, SK10 4TG, Chromatography Today, vol. 1, Issue 3, Jun. 2008, 7 pages.

Stypulkowska, et al.—Determination of Gentamicin Sulphate Composition and Related Substances in Pharmaceutical Preparations by LC with Charged Aerosol Detection, Chromotographia, Dec. 2010, 72, No. 11/12, 1225-1229, 5 pages.

Swartz, et al.—An Overview of Corona Charged Aerosol Detection in Pharmaceutical Analysis, White Paper, Smithers Synomics Pharma, Synomics Pharmaceutical Services, LLC, 790 Main Street, Wareham, MA 02571-1037, www.synomicspharma.com, 12 pages. Teutenberg, et al.—Evaluation of column bleed by using an ultraviolet and a charged aerosol detector coupled to a high-temperature liquid chromatographic system, Journal of Chromatography A, 2006, 197-201, www.sciencedirect.com, Elsevier, www.elsevier. com/locate/chroma, 5 pages.

(Continued)

Primary Examiner — Paul A Zucker

ABSTRACT

Assay methods for determining purity of a sample of a sterol are provided. These methods include providing an HPLC eluent including a sterol, other compounds related to the sterol and a mobile volatile phase; generating an aerosol of liquid droplets from the HPLC eluent; drying the liquid droplets to obtain residue particles of the sterol; contacting the residue particles of the sterol with an ion stream which applies a size-dependent electrical charge to each of the residue particles to generate an electrical signal and measuring the electrical signal to determine the purity of the sterol in the sample. The sterol can be OXY133 or OXY133 monohydrate.

18 Claims, 12 Drawing Sheets